



--	--	--	--	--	--	--	--	--	--

First Semester B.E. Degree Examination, Dec.2018/Jan.2019
Calculus and Linear Algebra

Time: 3 hrs.

Max. Marks: 100

Note: Answer any FIVE full questions, choosing ONE full question from each module.

Module-1

- 1 a. Show that the curves $r^n = a^n \cos n\theta$ and $r^n = b^n \sin n\theta$ are intersect orthogonally. (06 Marks)
- b. Find the radius of curvature of the curve $y = a \log \sec\left(\frac{x}{a}\right)$ at any point (x, y) . (06 Marks)
- c. Show that the evolute of the parabola $y^2 = 4ax$ is $27ay^2 = 4(x - 2a)^3$. (08 Marks)

OR

- 2 a. With usual notation, prove that $\tan \phi = r \frac{d\theta}{dr}$. (06 Marks)
- b. Find the pedal equation of the curve $r = ae^{\theta \cot \alpha}$. (06 Marks)
- c. Find the radius of curvature for the curve $r = a(1 + \cos \theta)$. (08 Marks)

Module-2

- 3 a. Using Maclaurin's expansion. Prove that $\sqrt{1 + \sin 2x} = 1 + x - \frac{x^2}{2} - \frac{x^3}{6} + \frac{x^4}{24}$. (06 Marks)
- b. Evaluate $\lim_{x \rightarrow 0} \left(\frac{a^x + b^x + c^x + d^x}{4} \right)^{\frac{1}{x}}$. (07 Marks)
- c. Find the dimensions of the rectangular box open at the top of maximum capacity whose surface is 432 sq.cm. (07 Marks)

OR

- 4 a. If $u = f(y - z, z - x, x - y)$, show that $\frac{\partial u}{\partial x} + \frac{\partial u}{\partial y} + \frac{\partial u}{\partial z} = 0$. (06 Marks)
- b. If $u = x^2 + y^2 + z^2$, $v = xy + yz + zx$, $w = x + y + z$. Find Jacobian $J = \frac{\partial(u, v, w)}{\partial(x, y, z)}$. (07 Marks)
- c. Find the minimum value of $x^2 + y^2 + z^2$ subject to the condition $x + y + z = 3a$. (07 Marks)

Important Note : 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.
 2. Any revealing of identification, appeal to evaluator and /or equations written eg, 42+8 = 50, will be treated as malpractice.

Module-3

- 5 a. Evaluate $\int_0^{\infty} \int_0^{\infty} e^{-(x^2+y^2)} dx dy$, by changing into polar coordinates. (06 Marks)
- b. Find the volume of the tetrahedron bounded by the planes :
 $x = 0, y = 0, z = 0, \frac{x}{a} + \frac{y}{b} + \frac{z}{c} = 1$. (07 Marks)
- c. Prove that $\beta(m, n) = \frac{\Gamma(m)\Gamma(n)}{\Gamma(m+n)}$. (07 Marks)

OR

- 6 a. Evaluate $\int_0^1 \int_x^{\sqrt{x}} xy dy dx$ by change of order of integration. (06 Marks)
- b. Evaluate $\int_{-1}^1 \int_0^z \int_{x-z}^{x+z} (x+y+z) dy dx dz$. (07 Marks)
- c. Prove that $\int_0^{\pi/2} \sqrt{\sin \theta} \cdot d\theta \times \int_0^{\pi/2} \frac{1}{\sqrt{\sin \theta}} \cdot d\theta = \pi$. (07 Marks)

Module-4

- 7 a. A body in air at 25°C cools from 100°C to 75°C in 1 minute, find the temperature of the body at the end of 3 minutes. (06 Marks)
- b. Solve $\frac{dy}{dx} + \frac{y \cos x + \sin y + y}{\sin x + x \cos y + x} = 0$. (07 Marks)
- c. Solve $xyp^2 - (x^2 + y^2)p + xy = 0$. (07 Marks)

OR

- 8 a. Solve $\frac{dy}{dx} + y \tan x = y^2 \sec x$. (06 Marks)
- b. Show that the family of parabolas $y^2 = 4a(x+a)$ is self orthogonal. (07 Marks)
- c. Find the general solution of the equation $(px-y)(py+x) = 0$ by reducing into Clairaut's from, taking the substitution $X = x^2, Y = y^2$. (07 Marks)

Module-5

- 9 a. Find the rank of the matrix :

$$A = \begin{bmatrix} 1 & 2 & -2 & 3 \\ 2 & 5 & -4 & 6 \\ -1 & -3 & 2 & -2 \\ 2 & 4 & -1 & 6 \end{bmatrix}$$

(07 Marks)

- b. Solve the system of equations :

$$\begin{aligned} 12x + y + z &= 31 \\ 2x + 8y - z &= 24 \\ 3x + 4y + 10z &= 58 \end{aligned}$$

By Gauss –Siedal method.

(07 Marks)

- c. Diagonalize the matrix :

$$A = \begin{bmatrix} -1 & 3 \\ -2 & 4 \end{bmatrix}$$

(06 Marks)

OR

- 10 a. For what values of
- λ
- and
- M
- the system of equations :

$$\begin{aligned} x + 2y + 3z &= 6 \\ x + 3y + 5z &= 9 \\ 2x + 5y + \lambda z &= M \end{aligned}$$

has i) no solution ii) a unique solution iii) infinite number of solution.

(07 Marks)

- b. Find the largest eigen value and the corresponding eigen vector of :

$$A = \begin{bmatrix} 6 & -2 & 2 \\ -2 & 3 & -1 \\ 2 & -1 & 3 \end{bmatrix}$$

by Rayleigh's power method, use $[1 \ 1 \ 1]^T$ as the initial eigen vector (carry out 6 iterations).
(07 Marks)

- c. Solve the system of equations :

$$\begin{aligned} x + y + z &= 9 \\ 2x + y - z &= 0 \\ 2x + 5y + 7z &= 52 \end{aligned}$$

By Gauss elimination method.

(06 Marks)
